

Repetitive Loss Area #42

North Fork of Little Joe Creek E. 51st St. & S. Fulton Ave. Area



August 17, 2017





ENGINEERING SERVICES



August 17, 2017

Dear Resident/Property Owner:

Once considered the most flood-prone city in America, Tulsa has worked hard to reduce or eliminate flooding of its homes and neighborhoods. The City joined the Federal Emergency Management Agency's (FEMA) National Flood Insurance Program (NFIP) in 1974 and through decades of effort is now recognized as a national leader in flood hazard mitigation. As a result, property owners in Tulsa receive as much as 40% discount on their flood insurance.

A key component of the NFIP has been its focus on Repetitive Loss Properties, which make up only 1 percent of insured properties, but account for over 30 percent of flood insurance claims payments. A Repetitive Loss Property is defined by FEMA as any property that has been paid two or more flood insurance claims of \$1,000 or more in a 10-year time period.

The NFIP recently expanded its flood hazard mitigation program to include the identification of "Repetitive Loss Areas" (RLA)—those properties near an existing Repetitive Loss Property that may be subject to the same general flooding conditions. In most instances, 95% of the properties in an RLA will never have experienced flooding—especially if the cause of damage is shallow, overland flow due to local drainage conditions. Once the City has identified an RLA, we are required to contact the owners and residents of the area and work together to develop a plan to reduce or eliminate flooding in the neighborhood.

Your property has been identified as being in a Repetitive Loss Area. We want to reemphasize that this does not mean your property has flooded or is even likely to flood only that it is in the same area, and in a similar geographical situation, as an existing Repetitive Loss Property.

You can protect your property from flooding. We would like to invite you to participate in our flood prevention and mitigation efforts for your neighborhood. We need your input. What can we do, working together, to eliminate potential flood losses in your area? We look forward to hearing from you.

To learn more about your risk of flooding visit www.floodsmart.gov or contact the City of Tulsa Customer Care Center at (918) 596-7777.

Sincerely,

CITY OF TULSA, ENGINEERING SERVICES

Bill Robison

Bill Robison, P.E., CFM

Senior Special Projects Engineer Stormwater Project Coordination

Contents

	knowledgementserview	
I.	Background	1
II.	Location	3
III. I	. History Development	
ŀ	Floodingmprovements	5
	Research and Analysis	
	Agencies and Organizations	
	Plans, Studies and Documents	
	Capital Improvements Plans	
	Flood Insurance Data	
	Claims Data	
	Field Surveys and Site Visits	
	Review Drainage Patterns	
	Structures	
	Structure Type	
	Foundation Type.	
	Condition of Structures.	
Ι	Notification	
	Annual Floodplain Notification	
	Annual Repetitive Loss Area Notification	
	Property Owners/Residents Notification	
	Public Participation and Involvement Property Owner Response to Notifications	
(Conclusions	
V.	Mitigation Measures	8
	Overview	
I	ndividual Mitigation Measures: What You Can Do	8
	Know and Understand Your Flood Risk	8
	Make a Disaster Preparedness Plan	9
	Create Berms, Swales or Redirected Drainage	9
	Install Local, Property-Specific Paving, Plantings and Catchment Basins	
	Acquisition	
	Elevate Your Structure	
	Dry Floodproof Your Structure	10
	Wet Floodproof Your Building	1.0

VII.	Conclusions and Recommendations	12
VI.	Funding	11
Rep	petitive Loss Area Mitigation Measures: What the City Can Do	11
I	Purchase and Maintain Flood Insurance	11
(Correct Sanitary Sewer Backup Problems	10
N	Maintain Nearby Streams, Ditches, and Storm Drains	10
I	Elevate Damage-Prone Components	10
1	Wet Floodproof Your Garage	10

Acknowledgements

The City of Tulsa Repetitive Loss Area Analysis Plans were developed by Engineering Services with local funding from the City of Tulsa in compliance with the Federal Emergency Management Agency's Community Rating System's requirements. Numerous agencies, departments, organizations and individuals participated in these studies, including:

City of Tulsa Elected Officials

G.T. Bynum Mayor Vanessa Hall Harper City Council District 1 Jeannie Cue City Council District 2 **David Patrick** City Council District 3 City Council District 4 Blake Ewing Karen Gilbert City Council District 5 Connie Dodson City Council District 6 City Council District 7 Anna America Phil Lakin, Jr. City Council District 8 Ben Kimbro City Council District 9

Stormwater Drainage and Hazard Mitigation Advisory Board

Dr. Judith Finn, Esq., Chair
Lynn Scofield, P.E., Vice Chair
Kyle Brierly, Member
David Williams, Ph.D, P.E. Member
Steve Walman, Member
Walman Commercial Realtors
Mark Swiney, Esq.

Attorney at Law
CH2M Hill Engineering
RotoRooter Plumbing
US Army Corps of Engineers
Walman Commercial Realtors
Board Counsel

Tulsa Technical Advisory Committee

Paul D. Zachary, P.E, CFM
Matt Leichti, P.E.
Bill Robison, P.E., CFM
Brad Jackson, P.E., CFM
Laura Hendrix, CFM
Tim Lovell
Angela King
Director, Engineering Services
Manager, Project Coordination
Project Manager
Lead Engineer, Stormwater Design
Floodplain Administrator
Disaster Resilience Network
Records Custodian

Consultants

Flanagan & Associates, LLC

Planning Consultants 3015 E. Skelly Drive, Suite 430 Tulsa, Oklahoma 74105 (918) 749-2696 www.rdflanagan.com

Mark Swift, P.E., CFM

Angela Swift, CPA, CEO

Ronald D. Flanagan, CFM, Principal John D. Flanagan, Research, Writing

Nancy K. Edwards, Administration

Tyler Brooks, GIS Specialist

Swift Water Resources Engineering, LLC

Hydrologic Engineering Consultants 9 East 4th Street, Suite 301 Tulsa, Oklahoma 74103 (918) 582-1380 swre@sbcglobal.net

Repetitive Loss Area #42

North Fork of Little Joe Creek E. 51st St. & S. Fulton Ave. Area

Overview

Repetitive Loss Area (RLA) #42 is located on the North Fork of Little Joe Creek just north of LaFortune Park, between E. 51st St. and S. Fulton Ave. There are eight property lots the RLA containing 23 units. The properties are a mixture of condominiums, apartments, office buildings and a duplex. The area was developed between 1968 and 1986. The buildings are predominantly frame and masonry structures in Average to Very Good condition. Between 1979 and 2000 creek flooding, storm sewer backup and overland flow generated nine paid damage claims from five properties for a total of \$27,555. The repetitive loss property in the RLA has made five of the nine claims for \$20,356. The individual claims averaged about \$3,000, and ranged from a low of \$58 to a high of \$9,110. Storm sewer improvements and channel modifications in the Little Joe Creek basin by the City and the US Army Corps of Engineers have largely solved overbank flooding in this reach of the creek and removed all but four structures from the City's 100-year floodplain, and all but one from FEMA's Special Flood Hazard Area (SFHA). What flooding remains is largely due to overland flow in the generally level terrain.


The general location of RLA #42 is shown on the map on page 2, and a more detailed aerial photo/topography map on page 5. The detailed map identifies residential properties, County Assessor parcels, floodplains and the existing storm sewers and inlets system.

I. Background

During the post-World War building boom of the 1950s and 1960s, Tulsa expanded rapidly east and south into the basins of Mingo and Joe creeks. Because of the city's climate and the broad floodplains along these creeks, this growth brought with it an increased risk of flooding. And indeed, by the mid-1980s floods were occurring almost yearly and flooding had become Tulsa's most destructive natural hazard. One researcher at the time declared Tulsa "the most flood-prone community in the nation."

Tulsa was not unique in its rapid post-war development and attendant risks. Cities across America were experiencing similar problems as they spread out into prosperous subdivisions. In response, the U.S. Congress created the National Flood Insurance Program (NFIP) in 1968 to help property owners protect themselves from flood losses. The NFIP offered flood insurance to homeowners, renters, and business owners if their community participated in the NFIP and agreed to adopt and enforce ordinances that met or exceeded FEMA requirements for reducing the risk of flooding.

Tulsa joined the NFIP in 1974, and through great effort and considerable expense has significantly reduced its exposure to flooding. As a result, Tulsa has been awarded a Class II rating in the NFIP's Community Rating System (CRS), which grants its residents a 40 percent discount on the cost of flood insurance for structures in the Special Flood



RLA #42 is located along the North Fork of Little Joe Creek, between E. 51st St. and Fulton Ave.

Hazard Area (SFHA), also known as the 1% or 100-year floodplain. Since the Biggert-Waters Flood Insurance Reform Act of 2012, many properties have seen a substantial increase in their premiums, making this discount even more important.

For its part, the NFIP is continually faced with the job of paying claims while trying to keep the price of flood insurance at an affordable level. Properties that flood repeatedly—known as "repetitive loss properties," have been a particular problem for the program: Although they make up only 1 percent of insured properties, they account for one-third of all claims payments (about \$200 million a year, or \$4.5 billion to date). A repetitive loss property is defined by FEMA as any property that has been paid two or more flood insurance claims of \$1,000 or more in a 10-year time period.

Consequently, one of the requirements of the CRS is that communities identify all repetitive loss properties in their jurisdiction and work with the owners in finding ways to reduce or eliminate future flood damage. This initiative has been very successful in reducing flood losses and claims.

FEMA has recently extended its repetitive loss program to include "Repetitive Loss Areas" (RLA). To maintain a Class II rating in the CRS, Tulsa is now required to analyze the area surrounding each of its repetitive loss properties and identify any neighboring properties (including uninsured ones) that may be subject to the same general flooding conditions. This group of nearby properties is then designated as an RLA. The City is required to contact the owners of the properties in the RLA, inform them that they are located in an area subject to flooding, and develop a plan for mitigating or eliminating flooding in the area, much as has been done for the individual repetitive loss properties.

It is important to note that most of the homes in an RLA—perhaps as many as 80% or 90%—may not have experienced flooding of any kind. What they have in common is being subject to the same general geographical and flood conditions as the nearby repetitive loss property. It should also be stressed that the flooding events in question may have had little or nothing to do with overflow from a creek, but perhaps may have been the result of storm sewer backup or overland flow from a neighbor's property into a low-lying, slab-on-grade home or garage.

The location of RLA #42 is shown on the aerial photo/topography map on page 4, below. The map identifies residential properties, County Assessor parcels, floodplains, the existing storm sewers and inlets systems.

II. Location


Repetitive Loss Area #42 is located on the North Fork of Little Joe Creek, to the north of LaFortune Park, between Darlington Ave. on the west and Hudson Ave. on the east, and generally between E. 50th St. on the north and E. 51st St. on the south. The structures are situated at elevations between 702 and 710 feet. The North Fork of Little Joe Creek passes through the RLA from northeast to southwest.

The North Fork of Little Joe Creek has two branches: one rises at E. 46th St. and S. Irvington Ave. and the other at near E. 49th St. and S. Sheridan Rd. The two branches flow through storm sewers until they emerge into an open channel at about E. 50th St. and S. Hudson Ave., just upstream from the



Looking downstream along the North Fork of Little Joe Creek from the Fulton Ave. bridge

Thornton Family YMCA. The creek crosses under E. 51st St. at Darlington Ave. and passes through LaFortune Golf Course and under S. Yale Ave. and E. 54th St. to join Little Joe Creek at about E. 55th and Vandalia Ave.



III. History

Development

The properties in RLA #42 were constructed between 1968 and 1986, before any channelization improvements had been made along this reach of Little Joe Creek and the North Fork.

Flooding

There was significant flooding on Joe Creek in October 1959, May 10-11, 1970, June 7-9, 1974, May 31, 1976 (Memorial Day flood), June 21, 1979, June 17, 1980, May 27, 1984 (another Memorial Day flood), August 11, 1992, May 7, 1993, July 1994, May 6, 2000, May 8, 2007, September 21, 2009 and May 20, 2010. The storms that resulted in the nine paid damage claims in RLA #42 were in May 27, 1984, August 5, 1989, May 10 and July 14, 1994, September 10, 1999 and May 5, 2000.

Improvements

Improvements to the Joe Creek channel by the City and the US Army Corps of Engineers in the 1970s and 1980s channelized a good deal of Joe Creek and its tributaries and installed parallel storm sewers along Little Joe Creek and the North Fork. A stormwater detention facility was created in LaFortune Park and the culverts enlarged beneath Yale Ave. and E. 54th St. These improvements have reduced flooding along the North Fork and Little Joe Creek, but not eliminated flooding due to overland flow.

IV. Research and Analysis

The analysis of Repetitive Loss Area #42 was conducted by the Project Team through interviews with City officials, research into Engineering Services and Stormwater Drainage files, including the *Little Joe Creek Basin Drainage Study (North Fork and Mainstem)*, review of the City's extensive flood history documentation, assessment of insurance claims, field trips to the RLA, interviews with home owners and questionnaires mailed to the residences soliciting information about prior and existing flooding issues, if any.

Agencies and Organizations

The City of Tulsa's Storm Drainage & Hazard Mitigation Advisory Board (SDHMAB), which also serves as the City's Hazard Mitigation and CRS Committee, and the CRS Public Participation Involvement & Information Committee (PPI) met monthly during the two-year Repetitive Loss Area Planning process. Each committee was updated on the status of the planning process, discussed issues, and provided guidance. Research and analysis were done in accordance with guidelines from the Federal Emergency Management Agency (FEMA), the National Flood Insurance Program (NFIP) and the Community Rating System (CRS).

Local, State & Federal Agencies and non-profit organizations are represented on the PPI Committee. The RLA plans were discussed at the PPI Committee meetings, and other agencies such as TAEMA were contacted by phone or email. The RLA plans were presented to City Council for adoption; the agenda was made public and furnished to the media. The council meeting is a public meeting and the local media was present at the

meeting. In addition the council meetings are aired on our local government network TV channel TGOV.

Participating agencies and organizations involved were: City of Tulsa (CoT) Storm Drainage & Hazard Mitigation Advisory Board, CRS PPI Committee, CoT Communications Department, CoT Development Services, Working in Neighborhoods, CoT Engineering Services, CoT Finance Department, CoT Legal Department, CoT Streets & Stormwater, CoT Water & Sewer Department, Child Care Resource Center, Indian Nations Council of Governments, Tulsa Area Emergency Management Agency (TAEMA), Disaster Resilience Network, Metropolitan Environmental Trust, Oklahoma Insurance Department, Tulsa Association of Realtors, U.S. Army Corps of Engineers.

Plans, Studies and Documents

The following City of Tulsa and FEMA documents were used in the analysis:

- FEMA Flood Map 40143C0358L
- Flood Insurance Rate Map, City of Tulsa, October 16, 2012
- Regulatory Floodplain Map Atlas, Tulsa Engineering Services, October 2016
- Little Joe Creek Master Drainage Plan,
- Little Joe Creek Basin Drainage Study (N. Fork and Mainstem), Final Report, 1992
- 2014 City of Tulsa Hazard Mitigation Plan Update, Flanagan & Assoc., 2014
- City of Tulsa Stormwater Management Plan
- Stormwater Design Criteria Manual: Critical Neighborhood Flood Control Projects
- Stormwater Capital Improvements List, City of Tulsa, Engineering Services
- Guidebook to Conducting Repetitive Loss Area Analyses, UNO and FEMA

Capital Improvements Plans

No City of Tulsa Capital Improvements are currently planned that could have a positive impact on the flooding problems in Repetitive Loss Area # 16. There are storm sewer improvement and regional detention facilities on the existing CIPs for North Fork of Little Joe Creek along with Master Drainage Plan recommendations that are not yet on the CIPs. None are presently funded.

Flood Insurance Data

None of the properties in RLA #42 currently carries flood insurance. Because the Privacy Act of 1974 (5 USC 522a) restricts the release of flood insurance policy and claims data to the public, neither the Repetitive Loss property nor specific claim data are detailed in this Plan.

Claims Data.

Four properties in RLA #42 have made a total of 11 claims, nine of which were paid, for a total of \$27,555. The paid claims were for damage in 1979 (two claims, \$3,733), 1981 (\$304), 1984 (\$3,162), 1989 (\$3,100), 1994 (two claims, \$9,445), 1999 (\$7,190) and 2000 (\$621). One of the nine properties made five paid claims (the Repetitive Loss Property), another made two claims, and two others made one claim each.

Field Surveys and Site Visits

Site visits were conducted during the study, primarily to confirm foundation type and view local on-site overland flow drainage patterns.

Review Drainage Patterns.

The Project Team examined aerial topography maps, master drainage plans, storm sewer plans, City Customer Care Center complaints and comments, and conducted field checks to determine area drainage patterns and identify flooding problem areas. The results of the research and analysis are described in the following paragraphs and summarized in the table below

Structures

The Project Team made a number of visits to RLA #42 to determine the situation and condition of the structures. Visual analysis was verified by queries of Tulsa County Assessor data.

Structure Type.

The structures in RLA #42 are commercial, multi-family units and condominiums.

Foundation Type.

The type of foundation was determined by field investigation and query of Tulsa County Assessor records. All structures had slab-on-grade foundations.

Condition of Structures.

The condition of the residences in the RLA was determined by field investigation and the County Assessor's records. The structures were all considered to be in Average to Very Good condition. These findings are summarized in the following table.

Properties in the RLA

Address	Structure Type	Foundation Type	Year Built	Condition
Property 1	Commercial	Slab	1970	Average
Property 2	YMCA	Slab	1968	Good
Property 3	Commercial	Slab	1986	Average
Property 4	Commercial	Slab	1984	Average
Property 5	Commercial	Slab	1977	Average
Property 6	Commercial	Slab	1977	Average
Property 7	Vacant			
Property 8	Condos	Slab	1974	Very Good

Notification

Annual Floodplain Notification. Each year, in March, the City notifies all homeowners and residents living in a 100-year floodplain that their properties are subject to flooding and informs them of what steps they can take to protect their residences and families, including the purchase of flood insurance.

Annual Repetitive Loss Area Notification. Residents in Repetitive Loss Area #42 are notified annually that their homes are located in a Repetitive Loss Area, and are potentially subject to flood damage from overland flow and storm sewer back-up.

Property Owners/Residents Notification. Property owners and residents/occupants were advised of the Repetitive Loss Area study and analysis by letter, were sent a questionnaire soliciting information and input, and asked to contact the City for more information or a copy of the completed RLA Plan.

Public Participation and Involvement. City Staff/Consultants interviewed homeowners to brief them on the Repetitive Loss Area Analysis Study/Plan, receive their input, and discuss possible mitigation measures.

Property Owner Response to Notifications. There have been six responses to notification from property owners. Four property owners said that there has been no flooding at their locations since purchase in 1999, 2001, 2008 and 2010, respectively. A fifth property owner said there has been no flooding, but the property has drainage issues. A sixth owner said the residence has a sunken living room which flooded in the 1980s, but subsequent storm sewer improvements by the City appear to have solved the problem.

Conclusions

Based on flood data, site surveys and feedback from residents and homeowners, the causes of the any continuing drainage problems are overland flow from the higher ground to the north and west down into the relatively flat topography of the former floodplain, the slab-on-grade construction of the structures, and occasional storm sewer backup.

V. Mitigation Measures

Overview

The Master Drainage Plan for this reach of North Fork of Little Joe Creek identifies the most cost-effective structural solutions (channel improvements, enlarged inlets and storm sewers, and stormwater detention ponds) for the area. The Non-Structural Plan identifies buildings where a structural solution is not cost-effective, and acquisition is the recommended solution. There are presently no funded Capital Improvement Projects for future channel improvements or detention ponds in this area.

Individual Mitigation Measures: What You Can Do

Individual property protection actions are usually undertaken by property owners on a lot-by-lot, building-by-building basis, and include private floodproofing, moving mechanical equipment above flood levels, installing French drains and minor site grading to move local drainage to the street, sanitary sewer backup protection, and flood insurance.

The City of Tulsa is willing to have a stormwater engineer do a site visit to assist you in analyzing your specific drainage problems and discuss potential solutions. Contact the Customer Care Center at (918) 596-7777, or go online to www.cityoftulsa.org/connect/contact-the-city.

Know and Understand Your Flood Risk. As stated above, being located in a Repetitive Loss Area does *not* mean a property will flood. Nevertheless, it is important that residents

and property owners in flood hazard areas know and understand their flood risk and take what steps they can to protect their homes, families and possessions. City staff is available to explain the local flood risk, interpret floodplain maps, and determine if an area or property has drainage problems or a history of prior flooding. Staff can also discuss the ways a specific property can be protected from flooding. An Elevation Certificate can help define a property's flood risk under various rainfall scenarios (e.g., in a 10-year, 50-year, 100-year, or 300-year storm). You can receive a free flood zone determination by contacting the City with the correct legal description and street address, or the Tax Assessor/Parcel Number of the property.

Make a Disaster Preparedness Plan. It is always a good idea for residents and property owners in flood hazard zones to prepare a disaster preparedness and response plan that addresses all the steps and details that will demand attention once a flood watch or

warning is issued. A Building Permit is required to install a safe room in a flood-prone area.

Create Berms, Swales or Redirected Drainage. Flood waters can be diverted away from your building using berms, brick planter boxes and swales, but these may not be done in ways that cause damage to other properties. Owners and residents can request a meeting with a City Engineer to discuss the best ways to solve existing drainage problems, and whether a Building Permit will be required. This may be the most feasible solution for areas with flooding due to overland flow, as in RLA #42.



This platform and wall protect the home and air conditioning equipment from shallow flooding.

Install Local, Property-Specific Paving, Plantings and Catchment Basins. City Engineering staff can explain the natural functions of floodplains and how they act to slow and purify urban runoff and reduce flooding. Staff can also suggest low-impact development projects which imitate natural floodplain functions by slowing runoff and filtering out impurities. These include such things as rain gardens, catchment basins and pervious paving materials.

Acquisition. The City of Tulsa has a repetitive loss acquisition program to purchase repeatedly flooded properties. This voluntary program offers owners who are in this situation a way out. The City applies to FEMA for funds using the Hazard Mitigation Grant Program. Once the grant is awarded, the property is appraised as if it were not a flooded property and the offer for the property is based on this appraisal. In addition to getting the best possible price, the owner receives moving expenses, a \$1,000 stipend for purchasing a home outside the floodplain, and a 30-day rent free period after closing in which to move. All closing costs and other fees are paid by the City. Once the owner has moved out, the home is demolished and restored as open space to protect the natural and beneficial function of the floodplain. If you would like more information about this program contact the Customer Care Center at (918) 596-7777.

Acquisition is usually not feasible or cost effective for areas of shallow flooding, as in RLA #42. If a property is located in a FEMA Floodway or Special Flood Hazard Area, demolition, acquisition and relocation may be feasible and cost-effective.

Elevate Your Structure. Elevating the structure is only suitable for areas of shallow flooding, and is usually not feasible or cost-effective for masonry homes built on concrete slabs. It can sometimes be cost-effective for wood frame buildings on crawlspaces. Most likely, none of the structures in RLA #42 are candidates for elevation.

Dry Floodproof Your Structure. This can include actions that seal a structure and prevent floodwaters from entering. This method is best in areas where flood depths are no more than two or three feet. Buildings can be made watertight by sealing the walls with waterproof coatings, impermeable membranes, or additional layers of masonry or concrete. Doors, windows, and other openings below the base flood elevation must also be equipped with permanent or removable shields, and backflow valves must be installed in sanitary sewer lines and drains. Dry floodproofing needs to be designed by an engineer to ensure the structure can resist the force of the water.

Wet Floodproof Your Building. Wet flood-proofing allows water to enter a structure, while removing, protecting or elevating items that can be damaged, such as air conditioning equipment. This is often used on structures with crawl spaces and shallow flood depths. The City does not allow basements in flood-prone areas, or the wet floodproofing of basements.


Wet Floodproof Your Garage. The garage, with its slab-on-grade construction, is one of the most vulnerable areas of your home to overland flow flooding. Remove, relocate, elevate, or otherwise protect items that can be damaged from flooding.

Elevate Damage-Prone Components. Critical items such as furnace or air conditioning units, should be elevated to avoid flood damage. This should be done for components

that are in the wet-floodproofed area of the building as well as for units that are outside of the structure but subject to shallow flooding.

Maintain Nearby Streams, Ditches, and Storm Drains. Local flooding can often be caused by brush and other debris blocking drainage ways and culverts, bar ditches and storm sewer inlets and must be kept free of debris. Residents and property owners should do their part in keeping inlets and drainage ways clear of brush and debris. Do not attempt to clear debris during a flood event.

Correct Sanitary Sewer Backup Problems. Sanitary sewer backup can be a cause of damage in low-lying, flood-prone areas like RLA #42. The installation of backflow prevention valves on your sanitary sewer lines is highly recommended.



Sewer backflow prevention valves are essential components for homes in low-lying, flood-prone areas.

Purchase and Maintain Flood Insurance. Flood Insurance is available and recommended for the structure and contents for all properties in Tulsa. A large percentage of all flood insurance claims are for properties that are outside the FEMA floodplain. Because of the City of Tulsa's sustained efforts to reduce flooding, you are entitled to a discount on your flood insurance. A property does not have to be in a floodplain to qualify for flood insurance.

Repetitive Loss Area Mitigation Measures: What the City Can Do

The City of Tulsa is actively committed to the following floodplain management activities:

- Preventative activities to keep flood problems from getting worse.
- Natural resource protection activities to preserve or restore natural areas or the natural functions of floodplain and watershed areas.
- Emergency services measures taken during an emergency to minimize its impact.
- Structural projects to keep flood waters away from properties.
- Public information activities to advise property owners, potential property owners, and visitors about flood hazards, ways to protect people and property from the hazards, and the natural and beneficial functions of local floodplains.

As funding becomes available for this Repetitive Loss Area, the City will undertake a more detailed Mini-Master Drainage Plan to identify alternative solutions to the flooding problems and recommend a public works project. The actual construction of any public works project may require the acquisition of properties and/or drainage easements. The City will continue to fulfill its maintenance responsibility for channels, drainageways, and storm sewer inlets and pipes. At this time, the City has identified the following actions which are appropriate for RLA #42.

- Extend and/or improve the storm sewer system to better collect storm water runoff.
- Create overland flow path to allow better drainage of ponded water to the Creek.
- Acquire flood prone properties on a voluntary basis.
- Construct upstream detention to reduce storm water runoff into the RLA.

VI. Funding

Due to the nature of the flooding problems and the localized, minor damages involved in RLA #42, the funding of needed individual improvements will have to be borne by the property owner. The City will investigate the availability of funding for the public works actions listed above. Funding for ongoing City maintenance responsibilities is provided by the Stormwater Utility Fee. Funding for a public works project in this RLA is dependent of several factors, including the prioritized ranking of the project with other Capital Improvement projects, inclusion in future street maintenance projects, being part of a Bond Issue project, etc. The City will investigate the possibility of increasing the storm sewer capacity with any future street projects in the area. Another potential funding source is FEMA's Hazard Mitigation Grant Program (HMGP), which can be implemented after a Presidential Major Disaster Declaration in the State.

VII. Conclusions and Recommendations

Due to the improved channel of North Fork of Little Joe Creek, overbank flooding is no longer a major problem in this reach of the stream. Nevertheless, low-lying areas along the channel are always subject to potential flooding from overland flow and occasional storm sewer backup.

Homeowners are encouraged to maintain flood insurance. The City of Tulsa is a Community Rating System (CRS) Class II Community, and all homeowners qualify for up to a 40% discount on their flood insurance premiums. Homeowners are also encouraged to undertake individual mitigation measures to reduce their risk of overland flooding. The City of Tulsa is ready to assist in this effort with professional advice.